	CUSTOMER APPROVAL							
MPANY	NAME (PRINT)					-008-97		
TE	SIGNATURE				90-22	215-008		
							SHEET 1 OF 10	
		THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF GENERAL DIGITAL AND IS NOT TO BE DISCLOSED, REPRODUCED OR THE INFORMATION WITH THE CONTENT.	CONNECTOR CHART	MECHANICAL OUTLIN SPECIFICATIONS SUB CHANGE WITHOUT NOTIC	JECT TO CE. U.O.S.		GENERA	Ļ
\sim	OMPLETE UNIT DEPLOYED	OR PUBLISHED WITHOUT WRITTEN CONSENT FROM GENERAL DIGITAL. THIS DOCUMENT MUST BE RENDERED ILLEGIBLE WHEN BEING DISCARDED. © COPYRIGHT 2021.		ALL DIMENSIONS ARE IN APPROVALS	INCHES.	60 Prestige Park Road		
	DIVILLE LE CINIT DEFECTED	ALL RIGHTS RESERVED. UNLESS OTHERWISE SPECIFIED		DRAWN FA	27-Oct-21		l, East Hartford, CT 06 www.GeneralDigital.c	com
		DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES		CHECKED APPROVED			IEW TACTILE IONITORS	
EV DATE	ECN DESCRIPTION	BY ±1/32 .X ±.050 ±0° 30' .XX ±.031 .XXX±.020		DO NOT SCALE DR	AWING B	CAGE CODE 1JA77	DWG. NO. 2215-008-97	REV -
1	I I				1	1		1

REV DATE

CUSTOMER APPROVAL					
	NAME (PRINT)				
	SIGNATURE				

COMPANY

DATE

REV

DATE


ECN

DESCRIPTION

2215-008-97

90-2215-008

COMPLETE UNIT DEPLOYED



SHEET 2 OF 10

REV

	THE DOCUMENT CONTAINS PROPRIETABLY				MECHANICAL OUTLIN	IE ONLY	
	THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF GENERAL DIGITAL AND IS NOT TO BE DISCLOSED, REPRODUCED OR PUBLISHED WITHOUT WRITTEN CONSENT FROM GENERAL DIGITAL. THIS DOCUMENT	CONNECTOR CHART MECHANICAL OUTLINE ON SPECIFICATIONS SUBJECT					
					CHANGE WITHOUT NOTICE. U.O.S ALL DIMENSIONS ARE IN INCHES.		
	MUST BE RENDERED ILLEGIBLE WHEN BEING DISCARDED. © COPYRIGHT 2021. ALL RIGHTS RESERVED.				APPROVALS	DATE	
	UNLESS OTHERWISE SPECIFIED				DRAWN FA	27-Oct-21	
	DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES				CHECKED		
	±1/32 .X ±.050 ±0°30' .XX ±.031				APPROVED		_
3Y	.XXX±.020				DO NOT SCALE DE	RAWING	E

GENERAL DIGITAL


60 Prestige Park Road, East Hartford, CT 06108 (860) 282-2900 www.GeneralDigital.com


D	CAGE CODE	DWG. NO.	
D	1JA77	2215-008-97	


CUSTOMER APPROVAL				
OMPANY	NAME (PRINT)			
ATE	SIGNATURE			

2215-008-97

90-2215-008







SHEET 3 OF 10

COMPLETE UNIT STOWED

DESCRIPTION

REV

DATE

ECN

IN TOT TO BE DISCLOSED, REPRODUCED
OR PUBLISHED WITHOUT WRITTEN CONSENT
FROM GENERAL DIGITAL THIS DOCUMENT
MUST BE RENDERED ILLEGIBLE WHEN BEING
DISCARDED. © COPYRIGHT 2021.
ALL RIGHTS RESERVED.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS DECIMALS ANGLES
±1/32 .X ±.050 ±0° 30'
.XX ±.031
.XXX±.020

MECHANICAL OUTLINE ONLY.	
SPECIFICATIONS SUBJECT TO	
CHANGE WITHOUT NOTICE. U.O.S.	
ALL DIMENSIONS ARE IN INCHES.	

APPROVALS	DATE	
DRAWN		
FA	27-Oct-21	
CHECKED		
APPROVED		
	DRAWN FA CHECKED	DRAWN FA 27-Oct-21 CHECKED

DO NOT SCALE DRAWING

GENERAL DIGITAL

60 Prestige Park Road, East Hartford, CT 06108 (860) 282-2900 www.GeneralDigital.com

D	CAGE CODE	DWG. NO.	RE
D	1JA77	2215-008-97	-

CUSTOMER APPROVAL					
	NAME (PRINT)				
	SIGNATURE				

COMPANY

DATE

REV

DATE


ECN

DESCRIPTION

2215-008-97

90-2215-008

COMPLETE UNIT DEPLOYED



PARTIAL VIEW FROM REAR

SHEET 4 OF 10


BY	±1/32		APPROVED		
	DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES		CHECKED		
	ALL RIGHTS RESERVED. UNLESS OTHERWISE SPECIFIED		DRAWN FA	27-Oct-21	_
	MUST BE RENDERED ILLEGIBLE WHEN BEING DISCARDED. © COPYRIGHT 2021.		APPROVALS	DATE	
	THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF GENERAL DIGITAL AND IS NOT TO BE DISCLOSED, REPRODUCED OR PUBLISHED WITHOUT WRITTEN CONSENT FROM GENERAL DIGITAL. THIS DOCUMENT	CONNECTOR CHART	MECHANICAL OUTLIN SPECIFICATIONS SUE CHANGE WITHOUT NOTI ALL DIMENSIONS ARE IN	BJECT TO ICE. U.O.S.	

GENERAL DIGITAL

60 Prestige Park Road, East Hartford, CT 06108 (860) 282-2900 www.GeneralDigital.com

)	CAGE CODE	DWG. NO.	REV
)	1JA77	2215-008-97	-

COMPA	NY	ı	CUSTOMER APPROVAL NAME (PRINT)			221	15-008-97
DATE			SIGNATURE				0-2215-008
							Apadyadyabyabyabyabyabyabya
				21.50			
						MONITO	R ENCLOSURE STOWED
			26.50			ROTARY DRAW LATO HINGED LID TO BASE	
		MON ACCESS ARD READER		13.72			
		USB 2.0 POF	T WITH POWER SHARE THIN CLIENT POWER			MECHANICAL OUTLINE ONLY.	SHEET 5 OF 10
			USB 2.0 PORT — LINE OUT PORT USB TYPE-C PORT — HEADSET PORT	THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF GENERAL DIGITAL AND IS NOT TO BE DISCLOSED, REPRODUCED OR PUBLISHED WITHOUT WRITTEN CONSENT FROM GENERAL DIGITAL. THIS DOCUMENT MUST BE RENDERED ILLEGIBLE WHEN BEING DISCARDED. © COPYRIGHT 2021. ALL RIGHTS RESERVED. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES	CONNECTOR CHART	SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. U.O.S. ALL DIMENSIONS ARE IN INCHES. APPROVALS DATE DRAWN FA 27-Oct-21 CHECKED APPROVED	GENERAL DIGITAL 60 Prestige Park Road, East Hartford, CT 06108 (860) 282-2900 www.GeneralDigital.com THREE VIEW TACTILE 21.5" MONITORS
REV	DATE	ECN	DESCRIPTION	±1/32 .X ±.050 ±0° 30' .XX ±.031 .XXX±.020		DO NOT SCALE DRAWING	B CAGE CODE DWG. NO. REV -



			CUCTOMED	ADDDOVAL								
COMPA	ANY		CUSTOMER	APPROVAL NAME (PRINT)					22	15-008-97		
DATE				SIGNATURE						90-2215-008		
DATE				● ● ● ● ● ● 42.49	BULLNOSE CONNE	CTION ACCESS		IE FOAM CORNEF	BULLNOSE E	NCLOSURE ST	OWED	
				HOOK TO ACCOMMODATE T DRAW LATCH ON MONITO			FLIP-UP STORAGE COMPARTMENT BOTH SIDES		ATE 2" DIAMETER 90A DUROMETER RECE			
								RUBBER CAPACIT	WHEEL CASTER Y 150 lbs PER CASTER (x4)	SSED HANDLE — ROTARY DRAW LATCH		
			• •	• • • • •	•		6.99				SHEET	7 OF 10
			BULLNOSE ACCESS DOOF		THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF GENERAL DIGITAL AND IS NOT TO BE DISCLOSED, REPRODUCED OR PUBLISHED WITHOUT WHITTEN CONSENT FROM GENERAL DIGITAL. THIS DOCUMENT MUST BE RENDERED ILLEGIBLE WHEN BEING DISCARDED. © COPYRIGHT 2021. ALL RIGHTS RESERVED.		CONNECTOR CHART		MECHANICAL OUTLINE ONLY. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. U.O.S. ALL DIMENSIONS ARE IN INCHES. APPROVALS DATE	60 Prestige Park Road, (860) 282-2900	GENERA DIGITA	
					UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:				DRAWN FA 27-Oct-21 CHECKED	THREE VII	EW TACTILE ONITORS	
REV	DATE	ECN	DESCRIPTION	В	FRACTIONS DECIMALS ANGLES ±1/32 .X ±.050 ±0° 30' .XX ±.031 .XXX±.020				DO NOT SCALE DRAWING	B CAGE CODE 1JA77	DWG. NO. 2215-008-97	REV -

COMPAI	NY	ı	CUSTOM	ER APPROVAL NAME (PRINT)								008-97		
DATE				SIGNATURE						9	0-221	15-008		
39	3.49		© © © © © © © © © © © © © © © © © © ©		SPARE USB - US	SB TYPE A FEMALE			BULLNC	DSE EN		OSURE DEF	PLOYED	3 OF 10
					THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF GENERAL DIGITAL AND IS NOT TO BE DISCLOSED, REPRODUCED		TOR CHART	SPEC	HANICAL OUTLIN DIFICATIONS SUE GE WITHOUT NOT	BJECT TO	4	GD	GENERA DIGITA	٨L
			ВІ	JLLNOSE DEPLOYED —	OR PUBLISHED WITHOUT WRITTEN CONSENT FROM GENERAL DIGITAL. THIS DOCUMENT MUST BE RENDERED ILLEGIBLE WHEN BEING			ALL D	IMENSIONS ARE II	N INCHES.				
					DISCARDED. © COPYRIGHT 2021. ALL RIGHTS RESERVED.			DRAWN		DATE	60 (8	0 Prestige Park Road, 360) 282-2900	East Hartford, CT 06 www.GeneralDigital.c	108 com
					UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES			CHECKE	FA ED	27-Oct-21		THREE VIE		
		Т			TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ±1/32 .X ±.050 ±0° 30'			APPROV	/ED		1	21.5" MC		
REV	DATE	ECN	DESCRIPTION		BY .XX ±.031 .XXX±.020			DO N	OT SCALE DE	RAWING	В	CAGE CODE 1JA77	DWG. NO. 2215-008-97	REV -

CUSTOMER APPROVAL					
COMPANY	NAME (PRINT)				
PATE	SIGNATURE				

2215-008-97

90-2215-008

Feature	Value	Unit
Display		
Size (Diagonal)	21.5	in.
Active Area	18.765 (H) x 10.556 (V)	in.
Resolution	1920 x 1080	Pixels
Colors	16.7 Million (8-bit)	
Viewing Angle (H/V)	±89 / ±89	Degrees (°)
Refresh Rate	60	Hz
Optical		
Brightness (Max)	250	Nits
Dimming Range	10 - 100	%
Contrast	5000:1	
Backlight Type	LED (Single Rail)	
Power		
Input	90 - 264	VAC
Frequency	47 - 63	Hz
Power Consumption (Est)	TBD	W
Environmental		
Operating Temperature	0 - +50	°C
Storage Temperature	-20 - +70	°C
Humidity	5 - 95	%RH
Vibration	Generally Rugged	
Shock	Generally Rugged	
EMI	(Designed to Comply) MIL-STD-461	
Mechanical		
Finish	POWDER COAT, CARDINAL T241-BK59 BLACK	

REV DATE

ECN

DESCRIPTION

SHEET 9 OF 10

	THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF GENERAL DIGITAL AND	CONNECTOR CHART	MECHANICAL OUTLINE ON SPECIFICATIONS SUBJECT	
	IS NOT TO BE DISCLOSED, REPRODUCED OR PUBLISHED WITHOUT WRITTEN CONSENT FROM GENERAL DIGITAL. THIS DOCUMENT		CHANGE WITHOUT NOTICE. U ALL DIMENSIONS ARE IN INC	
	MUST BE RENDERED ILLEGIBLE WHEN BEING DISCARDED. © COPYRIGHT 2021. ALL RIGHTS RESERVED.		APPROVALS DA	TE.
	UNLESS OTHERWISE SPECIFIED		DRAWN FA 27-0	oct-21
	DIMENSIONS ARE IN INCHES TOLERANCES ARE:		CHECKED	
	FRACTIONS DECIMALS ANGLES ±1/32 .X ±.050 ±0° 30'		APPROVED	
BY	.XX ±.031 .XXX±.020		DO NOT SCALE DRAW	ING



60 Prestige Park Road, East Hartford, CT 06108 (860) 282-2900 www.GeneralDigital.com

D	CAGE CODE	DWG. NO.	REV
D	1JA77	2215-008-97	-

ESC F1 F2	F3 F4 F5	F6 F7	F8 F9	F10 F11	F12 PRINT SCRN SC	PAUSE BREAK	DEL	PG UP	PG DN
	# \$ 4 6 5	6 8 7	* (9	6 -	BACK SPCE	NUM		*	_
TAB Q W	ER	TYU	J	OP		7 HOME	8	9 PG UP	
CAPS LOCK A S	DE	GH	JK	L ;	enter	4	5	6 +	+
SHIFT Z	x c v	BN		?	SHIFT 1	1 END	2	3 PG DN	
CTRL WIN ALT				ALT	CTRL 4	 	O	DEL DEL	ENTER

R/B M C1 C2 **C**3 C4 F2 F1 F3 F4 F5 F6 F7 F8 F10 F11 F12 F9

CUSTOMER APPROVAL

SIGNATURE

COMPANY

DATE

REV

DATE

ECN

DESCRIPTION

ALL LEGENDS ARE NEGATIVE IMAGE (TRANSLUCENT LEGEND ON BLACK BACKGROUND)

SHEET 10 OF 10

	THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF GENERAL DIGITAL AND	CONNECTOR CHART	MECHANICAL OUTLINE ONLY. SPECIFICATIONS SUBJECT TO		
	IS NOT TO BE DISCLOSED, REPRODUCED OR PUBLISHED WITHOUT WRITTEN CONSENT FROM GENERAL DIGITAL. THIS DOCUMENT		CHANGE WITHOUT NOTIC	CE. U.O.S.	
	MUST BE RENDERED ILLEGIBLE WHEN BEING DISCARDED. © COPYRIGHT 2021. ALL RIGHTS RESERVED.		APPROVALS	DATE	
	UNLESS OTHERWISE SPECIFIED		DRAWN FA	27-Oct-21	
	DIMENSIONS ARE IN INCHES TOLERANCES ARE:		CHECKED		
_	FRACTIONS DECIMALS ANGLES ±1/32 .X ±.050 ±0° 30'		APPROVED		_
E	.XX ±.031 .XXX±.020		DO NOT SCALE DR	RAWING	E



2215-008-97

90-2215-008

60 Prestige Park Road, East Hartford, CT 06108 (860) 282-2900 www.GeneralDigital.com

D	CAGE CODE	DWG. NO.	REV
D	1JA77	2215-008-97	-